

ARIES TASTE & ODOR CONTROL

INLINE SERIES, SINGLE BED CARTRIDGE

TASTE & ODOR CORRECTION
CHLORINE REDUCTION
ORGANICS REDUCTION

Carbon filtration is an inexpensive and effective way to remove chemicals and contaminants commonly found in tap water. Aries Inline Acid Washed Carbon filters cartridges are designed for low-flow, point-of-use filtration to remove specific contaminants for a number of specialty drinking water, taste improvement and odor elimination applications.

Aries filters contain ResinTech® AGC-40-CA premium activated carbon. Acid washed to remove contaminants and enhance the overall aesthetics of drinking water, the media is an ideal choice for taste and odor control, chlorine/chloramine reduction, and organic, lead, and cyst reduction. Available with Quick Connect connectors in 6" and 12" lengths.



HIGHLIGHTS

- Taste, Odor & Chlorine Removal
- Lot Control Traceability
- Prop 65 Compliant for Drinking Water Applications
- Optimum Mesh Size for More Surface Area & Greater Adsorption
- Acid Washed Ensures a Neutral pH
- Up To 50% Higher Capacity for Longer Life
- Made in the USA

APPLICATIONS

- Pre and Post RO
- Water Coolers
- Ionizers
- Food and Beverage
- Ice machines

SPECIFICATIONS

- Nominal Rating of 25µ
- Max Pressure of 125 psi (850 kPa)
- Max Temperature 100°F (38 °C)

Revision 1.2


© 2020 ResinTech, Inc.



RESINTECH INC.
INNOVATIONS IN ION EXCHANGE

DIMENSIONS	SERVICE FLOW		CAPACITY*		PART NUMBER
	gpm	lpm	gal	L	
6 x 2 in. (Quick Connect)	0.3	1.1	1100	4200	IFB-06-1052-QC
12 x 2 in. (Quick Connect)	0.6	2.3	2200	8300	IFB-12-1052-QC

*Throughput is dependent upon water chemistry. Results may vary.



COMPONENTS

- End Caps - ABS
- Pads - PET
- Body - ABS
- Media - ResinTech® AGC-50-CA



**WE ARE PROUD TO BE
ISO 9001 : 2015 CERTIFIED**

IMPORTANT NOTICE TO USER: The following is made in lieu of all other warranties expressed or implied. Manufacturer's and Seller's only obligation shall be to issue credit against the purchase or replacement of the equipment proved to be defective in material or workmanship. Neither Manufacturer nor Seller shall be liable for any injury, loss or damage, direct or indirect, special or consequential, arising out of the use of, misuse, or the inability to use such product. The information contained herein is based on technical data and tests which we believe to be reliable and is intended for use by persons having technical skill at their discretion and risk. Since conditions of use are outside ResinTech's control, we can assume no liability whatsoever for results obtained or damages incurred through the application of the data presented. This information is not intended as a license to operate under, or a recommendation to infringe upon, any patent of ResinTech's or others covering any material or use. The foregoing may not be altered except by written agreement signed by officers of the manufacturer.